

### **Arkema Facility - Harvey Response**

Crosby, TX Arkema Inc. September 2, 2017 Project #109489 Summary

5120 Northshore Drive • North Little Rock, AR 72118 • (p) 5018018500

www.cteh.com

#### 1.0 Introduction

As a result of flooding events related to Hurricane Harvey, the Arkema facility located in Crosby, TX suffered a loss of power and failure on refrigeration of manufacturing process. The loss of temperature control resulted in degradation and heating of organic peroxides, with the potential of creating a fire. As a precautionary measure, local authorities established a 1.5-mile radius evacuation zone around the facility.

On August 31, 2017, the Center for Toxicology and Environmental Health, LLC (CTEH®) was contacted by Arkema Inc. (Arkema) to initiate air monitoring and sampling around the community areas outside of the evacuation zone perimeter. This submittal summarizes the results of real-time air monitoring conducted by CTEH® personnel from 06:00 on September 1, 2017 to 06:00 on September 2, 2017. A map of the site location is provided in **Attachment A**.

#### 2.0 Real-time Air Monitoring

All real-time air monitoring instrumentation was calibrated per the manufacturer's recommendations prior to air monitoring. Handheld, real-time air monitoring was conducted for benzene, cumene, atmosphere flammability (lower explosive limit - LEL), and volatile organic compounds (VOCs) using RAE Systems and Gastec instruments. Additionally, combustion byproducts potentially associated with fire smoke, such as particulate matter (PM<sub>2.5</sub>), nitrogen dioxide (NO<sub>2</sub>) and sulfur dioxide (SO<sub>2</sub>) were assessed. **Table 1** summarizes the data for all real-time air monitoring readings recorded in Crosby, TX from 06:00 on September 1, 2017 through 06:00 on September 2, 2017. Maps of real-time air monitoring locations are provided as **Attachment B**.



Table 1 Real-time Handheld Air Monitoring Readings 06:00 September 1, 2017 – 06:00 September 2, 2017

| Analyte           | Instrument       | Number of<br>Readings | Number of<br>Detections | Range of Detections*            |
|-------------------|------------------|-----------------------|-------------------------|---------------------------------|
| Benzene           | UltraRAE         | 31                    | 0                       | < 0.025 ppm                     |
|                   | Gastec Tube 121L | 7                     | 0                       | < 0.05 ppm                      |
| СО                | MultiRAE Plus    | 40                    | 0                       | < 1.0 ppm                       |
| Cumene            | Gastec Tube 122L | 2                     | 0                       | < 50 ppm                        |
| LEL               | MultiRAE Plus    | 2                     | 0                       | < 1.0 %                         |
| NO <sub>2</sub>   | MultiRAE Plus    | 14                    | 0                       | < 0.1 ppm                       |
|                   | Gastec Tube 9L   | 1                     | 0                       | < 0.1 ppm                       |
| PM <sub>2.5</sub> | AM510            | 170                   | 170                     | 0.013 - 0.065 mg/m <sup>3</sup> |
|                   | Dusttrak         | 68                    | 68                      | 0.012 - 0.112 mg/m <sup>3</sup> |
| SO <sub>2</sub>   | MultiRAE Plus    | 54                    | 0                       | < 0.1 ppm                       |
| VOCs              | MultiRAE Plus    | 229                   | 0                       | < 0.1 ppm                       |


<sup>\*</sup>If detections were not observed, the instrument detection limit is listed in this column.

#### 3.0 Analytical Air Sampling

To supplement real-time air monitoring, CTEH® deployed areas along the perimeter of the evacuated area within the community. Evacuated canister (Minican™) samplers were regulated to collect air evenly over a 24-hr period. Analytical air samples will be submitted to SGS Galson Laboratories, an AIHA-accredited laboratory, for analysis using EPA Method TO-15. A map highlighting the analytical air sampling locations is provided as **Attachment C**. Analytical Air Sampling Results will be reported upon receipt from the laboratory.

# Attachment A Site Location Map





# Attachment B Handheld Real-time Air Monitoring Locations





#### Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017








#### Benzene Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017







#### Carbon Monoxide Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017






### CTE:

#### Cumene Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017





### GTE:

#### LEL Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017








#### Nitrogen Dioxide Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017







#### PM2.5 Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017








#### Sulfur Dioxide Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017






ene.

#### VOC Hand-held Real-time Reading Locations

Harvey Response - 06:00 September 1, 2017 to 06:00 September 2, 2017





# Attachment C Map of Analytical Air Sampling Locations



Cara: A

#### Analytical Air Monitoring Station Locations

Harvey Response - August 31, 2017





## Attachment D KHPY Windrose

(Highland Park Airport - 12.5 miles SSE of Site)



